



CP10 G2

Collaborative Touch Controller



Welcome to a new era of meeting technology with the CP10 G2 Collaboration Touch Panel. Built with advanced edge processing and AI-powered features, the CP10 G2 simplifies and enhances every aspect of meeting management. Its intuitive interface, powered by a high-resolution 10.1-inch touch display, makes navigating Zoom Rooms effortless, while antimicrobial protection ensures a safe and hygienic surface for frequent use. Designed for modern workspaces, this smart panel offers single-cable connectivity for a clutter-free setup and always-on readiness to minimize downtime. The CP10 G2 brings intelligent, seamless collaboration to your fingertips.




Effortless Integration with Zoom Rooms

Seamlessly integrated with Zoom Rooms, the CP10 G2 Collaboration Touch Panel delivers a smooth and efficient meeting experience. Its intuitive interface simplifies collaboration, allowing users to navigate meetings, share content, and manage room controls with ease. Designed as an essential tool for modern conference rooms, it ensures that every meeting runs seamlessly and efficiently.



Intuitive Touch Interface for Seamless Control

A 10.1-inch anti-fingerprint touch screen with 10-point touch capability powers the CP10 G2, delivering a responsive and user-friendly experience. Its vibrant, high-resolution display ensures meeting controls and collaboration tools are easily accessible, making it simple to navigate and manage every aspect of your meetings with precision and ease.



Enhanced Cleanliness for Shared Spaces

The CP10 G2 features a built-in antimicrobial coating that supports cleanliness and safety in shared meeting environments. Ideal for high-traffic spaces, this thoughtful design ensures a clean and worry-free surface, providing added confidence in settings where safety is a priority.



Streamlined Connectivity for a Clutter-Free Workspace

Simplifying installation with single-cable connectivity, the CP10 G2 combines power and device control through an Ethernet connection. This innovative design reduces cable clutter, creating a clean and professional setup that's perfect for any workspace.

Efficient Room Management with Zoom Scheduling

Functioning as a dedicated Zoom scheduling panel, the CP10 G2 enables users to book meeting rooms directly from its intuitive display. By streamlining room organization and management, it enhances workflow efficiency and keeps your meetings running smoothly. Personalize the controller to improve productivity.

Specifications

Display

- Touch Panel: Antibacterial glass panel
- Screen: 10.1 inch, Anti-fingerprint screen
- Resolution: 1920 x 1200
- Aspect ratio: 16:10

Technology

- Capacitive-touch sensor supports: 10 touch points
- Screen Rotation: G-Sensor

System

- Operating System: Android™ 10

Power

- Consumption: 24W

Interfaces

- Power supply: 12V/2A
- Network: RJ-45 x 1
- PoE: PoE+ x 1

Mount and Security

- Adjustable Stand: Yes
- Wall-mount kit (optional)
- Kensington security lock

Applications

- Zoom: Zoom Rooms Controller App(Pre-installed)
- AVer: Room Management App(Pre-installed)

Dimensions

- CP10 G2 (W x H x D): 257.4 x 48.8 x 176.25mm
- Package Dimensions (W x H x D): 328 x 224 x 122mm
- Package weight: 2.43 kg

Environmental Data

- Operation temperature: 0 to 40°C
- Operation humidity: 20% to 80%
- Storage temperature: -20 to 60°C
- Storage humidity: 20% to 80%

Warranty

- CP10 G2: 3 Years
- Accessories: 1 Year


Package Contents

- CP10 G2, Power Adapter, Power Code, RJ-45 Cable Holder

Optional Accessories

- 1-port PoE+ injector, Wall mount

Front




Back



*For Zoom Rooms ultrasonic screen share function.

Back and Front Side



Passive Infra-Red (PIR) Sensor



AVer Information Inc. Americas averusa.com
 44061 Nobel Drive, Fremont, CA 94538
 T 408.263.3828 F 408.263.8132 toll free 1.877.528.7824
 ©Copyright 2025, AVer Information Inc. All rights reserved.
 Specifications may vary by country and are subject to change
 without notice.



Distributor/Dealer