

## AVer MT300(N) Firmware Release Notes – Aug 2<sup>nd</sup> , 2024

VERSION	0.0.0000.46
Camera COMPATIBILITY	TR310/TR311/TR311HN/TR313/TR331/TR333 V0.0.0000.21 and later
	· TR530+ V0.0.1000.47 and later
	• PTZ310/PTZ310N/PTZ330/PTZ330N V0.0.0000.56 and later
	• TR333V2/TR323NV2/TR313V2/TR311HWV2 V0.1.0000.23 and later
	• PTZ310U(N)V2/PTZ330U(N)V2/PTZ211/PTZ231 V0.0.0000.24 and later
	TR211/TR315(N)/TR335(N) V0.0.0000.24 and later
	• TR535 0.0.0000.18 or later
	· CAM550 V0.0.8004.20 or later
	· CAM570 V0.0.8102.48 or later
	· CAM520Pro3 V0.0.9602.18 or later
MIC COMPATIBILITY	· Audio Technica
	■ ATND1061DAN/LK
	■ ATUC-50 DU/CU
	· BIAMP
	■ TesiraFORTÉ X
	■ Parlé TCM-X/XA/XEX
	• возсн
	■ CCS 1000D
	■ DICENTIS Wireless Discussion System
	· ClearOne
	■ CONVERGE® Pro 2 (DSP)+ BMA360 (Mic)
	■ BMA360D
	· Nureva
	■ HDL300, Dual HDL300, HDL410, HDL310
	• Sennheiser
	■ TCC2, TCC M

Shure
■ MXA920, MXA910, MXA710, MXA310, MXCW, P300
Yamaha
■ Adecia RM-CG, RM-TT, RM-CR

## 0.0.0000.46 **New Features** Release date: New Support MIC: Aug 2<sup>nd</sup> , 2024 **BOSCH** CCS 1000D Discussion Devices **DICENTIS Wireless Discussion System** ClearOne BMA360D New Camera: TR535 CAM 550/570/520Pro3 Features: Add MXA920 Active Position in IP connection Add MXA920-R(Circular) Lobe/Coverage mode support Add more RTSP devices inputs (up to 25, and concurrent maximum is 4) Add toggle to "disable UAC" Add UAC volume control in Operating System and application Add 25/50 fps in NDI Add rUDP network protocol for rUDP NDI environment Add CL01 preset hotkey to support profile switching **Improvements** Improve NDI output latency and A/V async issue Improve MT Control Panel pairing process for Win/Mac/Android Improve MT Control Panel working w/o access internet

**Known Issues** 

Improve Nureva Mics connect to MT300 via USB influencing audio tracking

When modified rUDP setting, camera needs to be rebooted for connecting.

## 0.0.0000.38 **New Features** Release date: Support BIAMP TesiraFORTÉ X/Parlé TCM-X/XA/XEX Apr 1st , 2024 Support Audio-Technica ATND1061LK/ATUC-50 DU/CU Support Q-SYS plugin for MT300 Ver.1.1.1101.0 Support MT Control Panel Win/Mac Ver.1.1.1005.0 and Android Ver.1.1.1012.0 Support more commands More PTZ control panel commands Live Mode command VISCA command Support new features: Watermark for customized logo embedded Up to 36 profiles and corresponding shortcut keys Console feature to see real-time on camera-mic action status Priority group for "go to preset" among multiple groups Far-end triggered "go to preset" for Sennheiser Mics Improvements N/A **Known Issues** Nureva Mics connect to MT300 via USB will influence audio tracking feature

0.0.0000.34	New Features
Release date:	Support Sennheiser TCC Medium
Jan 14 <sup>th</sup> , 2024	Divide more channels for the direction type MIC
	Select USB output port: choose #1 or #2
	Support 2-way UAC
	New CGI
	■ Set schedule off/reboot for Live Mode
	■ Set schedule off/reboot
	■ Get connected MIC/Camera device status
	■ Set/Get USB output port: choose #1 or #2
	■ Set/Get 2-way UAC
	Improvements
	• N/A
	Known Issues
	• N/A
0.0.0000.28	New Features
Release date:	Add Live Mode
Oct 3 <sup>rd</sup> , 2023	Add control panel in Manual Mode
	Add Shure MXA920 Active Position in Auto Mode
	Add Pause/Resume in Main Page
	Add one more RTMP output in Network Setting
	Add Date/Time setting
	Add Schedule Power/Reboot
	Add USB keyboard Hotkey
	Improvements
	• N/A
	Known Issues

	• N/A
0.0.0000.22	New Features
Release date:	HTTPS supported
Aug 22 <sup>nd</sup> , 2023	Add CGI command
	Crestron Control Plug-in supported
	Improvements
	Improve switching profile delay time in Single View
	Known Issues
	• N/A
0.0.0000.17	Main Features
Release date:	PTZ Link (Premium version) Integration
Jun 15 <sup>th</sup> , 2023	Combines multiple cameras and sources into various layout
	Switchs Profiles for multiple cameras and source with ease and convenience
	New Features
	NDI activation features
	Nureva HDL410 Support
	Multiple Speaker Mode
	Profile number add to 9 in max
	Improvements
	• N/A
	Known Issues
	• N/A